

P4.4	>40 <= 50mm	nr	0dp
-------------	--------------------------	-----------	------------

Data Definition: Number of tariff meters >40mm and <= 50mm as at September of the reporting year.

Processing Rules:

Field Type: Input

Previous References: Ofwat 07 WICS 06

P4.5	> 50 <= 80mm	nr	0dp
-------------	---------------------------	-----------	------------

Data Definition: Number of tariff meters >50mm <=80mm as at September of the reporting year.

Processing Rules:

Field Type: Input

Previous References: Ofwat 07 WICS 06

P4.6	>80 <= 100mm	nr	0dp
-------------	---------------------------	-----------	------------

Data Definition: Number of tariff meters >80mm and <= 100mm as at September of the reporting year.

Processing Rules:

Field Type: Input

Previous References: Ofwat 07 WICS 06

P4.7	>100 <= 150mm	nr	0dp
-------------	----------------------------	-----------	------------

Data Definition: Number of tariff meters >100mm <=150mm as at September of the reporting year.

Processing Rules:

Field Type: Input

Previous References: Ofwat 07 WICS 06

P4.8	>150 <= 200mm	nr	0dp
-------------	----------------------------	-----------	------------

Data Definition: Number of tariff meters >150mm and <= 200mm as at September of the reporting year.

Processing Rules:

Field Type: Input

Previous References: Ofwat 07 WICS 06

P4.9	>200 <= 250mm	nr	0dp
-------------	----------------------------	-----------	------------

Data Definition: Number of tariff meters >200mm <=250mm as at September of the reporting year.

Processing Rules:

Field Type: Input

Previous References: Ofwat 07 WICS 06

P4.10	>250 <= 300mm	nr	0dp
--------------	----------------------------	-----------	------------

Data Definition: Number of tariff meters >250mm and <= 300mm as at September of the reporting year.

Processing Rules:

Field Type: Input

Previous References: Ofwat 07 WICS 06

P4.11	>300 <= 400mm	nr	0dp
--------------	----------------------------	-----------	------------

Data Definition: Number of tariff meters >300mm <=400mm as at September of the reporting year.

Processing Rules:

Field Type: Input

Previous References: Ofwat 07 WICS 06

P4.12	> 400 <= 450mm	nr	0dp
--------------	-----------------------------	-----------	------------

Data Definition: Number of tariff meters >400mm and <= 450mm as at September of the reporting year.

Processing Rules:

Field Type: Input

Previous References: Ofwat 07 WICS 06

P4.13	>450 <= 600mm	nr	0dp
--------------	----------------------------	-----------	------------

Data Definition: Number of tariff meters >450mm <=600mm as at September of the reporting year.

Processing Rules:

Field Type: Input

Previous References: Ofwat 07 WICS 06

P4.14	Other meters	nr	0dp
--------------	---------------------	-----------	------------

Data Definition: Number of meters not included in the above categories

Processing Rules:

Field Type: Input

Previous References: Ofwat 07 WICS 06

P4.15	Total number of tariff meters	nr	0dp
--------------	--------------------------------------	-----------	------------

Data Definition: Total number of meters in above categories.

Processing Rules: Sum of P4.1 to P4.14

Field Type: Calculated Field

Previous References: Ofwat 07 WICS 06

P4.16	Total number of billed properties	nr	0dp
--------------	--	-----------	------------

Data Definition: Total number of non-household properties billed on a measured basis as at September of the reporting year.

Processing Rules:

Field Type: Input

Previous References: Ofwat 07 WICS 06

P4.17	Void properties	nr	0dp
--------------	------------------------	-----------	------------

Data Definition: Number of non-domestic properties billed on a measured basis as at September of the reporting year connected to the distribution system but which have not received a bill as they are unoccupied.

Processing Rules:

Field Type: Input

Previous References: Ofwat 07 WICS 06

P4.18	Measured non-household connected properties	nr	0dp
--------------	--	-----------	------------

Data Definition: Total measured non-household properties connected to the network as at September of the report year.

Processing Rules: Sum of lines P4.14, P4.15 and P4.16

Field Type: Calculated Field

Previous References: Ofwat 07 WICS 06

P4.19	First 25m³ pa - meters of diameter <= 20mm	m³	3dp
--------------	---	----------------------	------------

Data Definition: Total volume supplied at the base tariff for the first 25m³ pa for meters <= 20mm.

Processing Rules:

Field Type: Input

Previous References: Ofwat 07 WICS 06

P4.20	Volume over 25m³ pa, meters of diameter <= 20mm	m³	3dp
--------------	--	----------------------	------------

Data Definition: Total volume supplied at the tariff for volumes above the first 25m³ pa for meters <=20mm.

Processing Rules:

Field Type: Input

Previous References: Ofwat 07 WICS 06

P4.21	<= 100 MI/a, meters > 20mm, standard tariff (including LUVA)	m³	3dp
--------------	---	----------------------	------------

Data Definition: Volume of potable water delivered, where volume <= 100 MI/a per meter, for meters of diameter > 20mm, charged at standard tariffs. Only the volume <100MI/a should be included and not any volume >100MI/a. Include estimates of supply pipe leakage and any allowance for meter under-registration and identify assumptions used to derive estimates.

Processing Rules:

Field Type: Input

Previous References: Ofwat 07 WICS 06

P4.22	>100 <= 250 MI/a, standard tariff	m³	3dp
--------------	--	----------------------	------------

Data Definition: Volume of potable water delivered, where volume >100 <= 250 per site, charged at standard tariff, not LUVA rate. Only the volume used between 100 and 250 MI/a should be included and not any volume <100MI/a or >250MI/a. Include estimates of supply pipe leakage and any allowance for meter under-registration and identify assumptions used to derive estimates.

Processing Rules:

Field Type: Input

Previous References: Ofwat 07 WICS 06

P4.23	> 250 MI/a, standard tariff	m³	3dp
--------------	---------------------------------------	----------------------	------------

Data Definition: Volume of potable water delivered, where volume >250 MI/a per site, charged at standard tariff. Only the volume >250MI/a should be included and not any volume <250MI/a. Include estimates of supply pipe leakage and any allowance for meter under-registration and identify assumptions used to derive estimates.

Processing Rules:

Field Type: Input

Previous References: Ofwat 07 WICS 06

P4.24	>100 <= 250 MI/a, LUVA rate	m³	3dp
--------------	--	----------------------	------------

Data Definition: Volume of potable water delivered, where volume >100 MI/a per site, charged on a LUVA. Only the volume used between 100MI/a and 250 MI/a should be included and not any volume <100ML/a or >250MI/a. Include estimates of supply pipe leakage and any allowance for meter under-registration and identify assumptions used to derive estimates.

Processing Rules:

Field Type: Input

Previous References: Ofwat 07 WICS 06

P4.25	> 250 MI/a, LUVA rate	m³	3dp
--------------	---------------------------------	----------------------	------------

Data Definition: Volume of potable water delivered, where volume >250 MI/a per site, charged on a LUVA. Only the volume >250MI/a should be included and not any volume <250MI/a. Include estimates of supply pipe leakage and any allowance for meter under-registration and identify assumptions used to derive estimates.

Processing Rules:

Field Type: Input

Previous References: Ofwat 07 WICS 06

P4.26	<= 100 MI/a, non-standard rate	m³	3dp
--------------	--	----------------------	------------

Data Definition: Volume of potable water delivered, where volume <100 MI/a per site, charged at non-standard rates. Only the volume <=100MI/a should be included and not any volume >100MI/a. Include estimates of supply pipe leakage and any allowance for meter under-registration and identify assumptions used to derive estimates.

Processing Rules:

Field Type: Input

Previous References: Ofwat 07 WICS 06

P4.27	>100 <= 250 MI/a, non-standard rate	m³	3dp
--------------	--	----------------------	------------

Data Definition: Volume of potable water delivered, where volume >100 MI/a per site, charged at non-standard rates. Only the volume used between 100MI/a and 250 MI/a should be included and not any volume <100ML/a or >250MI/a. Include estimates of supply pipe leakage and any allowance for meter under-registration and identify assumptions used to derive estimates.

Processing Rules:

Field Type: Input

Previous References: Ofwat 07 WICS 06

P4.28	> 250 MI/a, non-standard rate	m³	3dp
--------------	---	----------------------	------------

Data Definition: Volume of potable water delivered, where volume >250 MI/a per site, charged at non-standard rate. Only the volume >250MI/a should be included and not any volume <250MI/a. Include estimates of supply pipe leakage and any allowance for meter under-registration and identify assumptions used to derive estimates.

Processing Rules:

Field Type: Input

Previous References: Ofwat 07 WICS 06

P4.29	Total	m³	3dp
--------------	--------------	----------------------	------------

Data Definition: Total volume supplied to non-domestic properties on a measured basis.

Processing Rules:

Field Type: Calculated Field

Previous References: Ofwat 07 WICS 06

P4.30	<=20mm	£	2dp
--------------	------------------	----------	------------

Data Definition: Tariff for fixed charge for non-domestic properties billed on a measured basis for a meter size <= 20mm as at September of the reporting year. This should be the nominal charge taking account of any tariff or inflation change assumptions.

Processing Rules:

Field Type: Input

Previous References: Ofwat 07 WICS 06

P4.31	>20 <=25mm	£	2dp
--------------	-------------------------	----------	------------

Data Definition: Tariff for fixed charge for non-domestic properties billed on a measured basis, for a meter size >20mm and <= 25mm as at September of the reporting year. This should be the nominal charge taking account of any tariff or inflation change assumptions.

Processing Rules:

Field Type: Input

Previous References: Ofwat 07 WICS 06

P4.32	>25 <= 40mm	£	2dp
--------------	--------------------------	----------	------------

Data Definition: Tariff for fixed charge for non-domestic properties billed on a measured basis for a meter size >25mm <=40mm as at September of the reporting year. This should be the nominal charge taking account of any tariff or inflation change assumptions.

Processing Rules:

Field Type: Input

Previous References: Ofwat 07 WICS 06

P4.33	>40 <= 50mm	£	2dp
--------------	--------------------------	----------	------------

Data Definition: Tariff for fixed charge for non-domestic properties billed on a measured basis for a meter size >40mm and <= 50mm as at September of the reporting year. This should be the nominal charge taking account of any tariff or inflation change assumptions.

Processing Rules:

Field Type: Input

Previous References: Ofwat 07 WICS 06

P4.34	> 50 <= 80mm	£	2dp
--------------	---------------------------	----------	------------

Data Definition: Tariff for fixed charge for non-domestic properties billed on a measured basis for a meter size >50mm <=80mm as at September of the reporting year. This should be the nominal charge taking account of any tariff or inflation change assumptions.

Processing Rules:

Field Type: Input

Previous References: Ofwat 07 WICS 06

P4.35	>80 <= 100mm	£	2dp
--------------	---------------------------	----------	------------

Data Definition: Tariff for fixed charge for non-domestic properties billed on a measured basis for a meter size >80mm and <= 100mm as at September of the reporting year. This should be the nominal charge taking account of any tariff or inflation change assumptions.

Processing Rules:

Field Type: Input

Previous References: Ofwat 07 WICS 06

P4.36	>100 <= 150mm	£	2dp
--------------	----------------------------	----------	------------

Data Definition: Tariff for fixed charge for non-domestic properties billed on a measured basis for a meter size >100mm <=150mm as at September of the reporting year. This should be the nominal charge taking account of any tariff or inflation change assumptions.

Processing Rules:

Field Type: Input

Previous References: Ofwat 07 WICS 06

P4.37	>150 <= 200mm	£	2dp
--------------	----------------------------	----------	------------

Data Definition: Tariff for fixed charge for non-domestic properties billed on a measured basis for a meter size >150mm and <= 200mm as at September of the reporting year. This should be the nominal charge taking account of any tariff or inflation change assumptions.

Processing Rules:

Field Type: Input

Previous References: Ofwat 07 WICS 06

P4.38	>200 <= 250mm	£	2dp
--------------	----------------------------	----------	------------

Data Definition: Tariff for fixed charge for non-domestic properties billed on a measured basis for a meter size >200mm <=250mm as at September of the reporting year. This should be the nominal charge taking account of any tariff or inflation change assumptions.

Processing Rules:

Field Type: Input

Previous References: Ofwat 07 WICS 06

P4.39	>250 <= 300mm	£	2dp
--------------	----------------------------	----------	------------

Data Definition: Tariff for fixed charge for non-domestic properties billed on a measured basis for a meter size >250mm and <= 300mm as at September of the reporting year. This should be the nominal charge taking account of any tariff or inflation change assumptions.

Processing Rules:

Field Type: Input

Previous References: Ofwat 07 WICS 06

P4.40	>300 <= 400mm	£	2dp
--------------	----------------------------	----------	------------

Data Definition: Tariff for fixed charge for non-domestic properties billed on a measured basis for a meter size >300mm <=400mm as at September of the reporting year. This should be the nominal charge taking account of any tariff or inflation change assumptions.

Processing Rules:

Field Type: Input

Previous References: Ofwat 07 WICS 06

P4.41	> 400 <= 450mm	£	2dp
--------------	-----------------------------	----------	------------

Data Definition: Tariff for fixed charge for non-domestic properties billed on a measured basis for a meter size >400mm and <= 450mm as at September of the reporting year. This should be the nominal charge taking account of any tariff or inflation change assumptions.

Processing Rules:

Field Type: Input

Previous References: Ofwat 07 WICS 06

P4.42	>450 <= 600mm	£	2dp
--------------	----------------------------	----------	------------

Data Definition: Tariff for fixed charge for non-domestic properties billed on a measured basis for a meter size >450mm <=600mm as at September of the reporting year. This should be the nominal charge taking account of any tariff or inflation change assumptions.

Processing Rules:

Field Type: Input

Previous References: Ofwat 07 WICS 06

P4.43	Other meters	£	2dp
--------------	---------------------	----------	------------

Data Definition: Tariff for fixed charge for non-domestic properties billed on a measured basis for other meters as at September of the reporting year. This should be the nominal charge taking account of any tariff or inflation change assumptions.

Processing Rules:

Field Type: Input

Previous References: Ofwat 07 WICS 06

P4.44	First 25m³ pa, meters of diameter <= 20mm	£/m³	2dp
--------------	--	------------------------	------------

Data Definition: The base tariff for the first 25m³ pa for meters <= 20mm. This should be the nominal charge taking account of any tariff or inflation change assumptions.

Processing Rules:

Field Type: Input

Previous References: Ofwat 07 WICS 06

P4.45	Volume over 25m³ pa, meters of diameter <= 20mm	£/m³	2dp
--------------	--	------------------------	------------

Data Definition: The tariff for volumes above the first 25m³ pa for meters <=20mm. This should be the nominal charge taking account of any tariff or inflation change assumptions.

Processing Rules:

Field Type: Input

Previous References: Ofwat 07 WICS 06

P4.46	<= 100 MI/a, meters > 20mm, standard tariff (including LUVA)	£/m³	2dp
--------------	---	------------------------	------------

Data Definition: Standard tariff for volumes of potable water delivered, where volume <= 100 MI/a per meter, for meters of diameter > 20mm, tariff (including LUVA customers). This should be the nominal charge taking account of any tariff or inflation change assumptions.

Processing Rules:

Field Type: Input

Previous References: Ofwat 07 WICS 06

P4.47	>100 <= 250 MI/a, standard tariff	£/m³	2dp
--------------	--	------------------------	------------

Data Definition: Standard tariff for volume of potable water delivered, where volume >100 <= 250 MI/a per site, for customers without a LUVA. This should be the nominal charge taking account of any tariff or inflation change assumptions.

Processing Rules:

Field Type: Input

Previous References: Ofwat 07 WICS 06

P4.48	> 250 MI/a, standard tariff	£/m³	2dp
--------------	---------------------------------------	------------------------	------------

Data Definition: Tariff for volume of potable water delivered, where volume > 250 MI/a per site, charged at standard tariffs. This should be the nominal charge taking account of any tariff or inflation change assumptions.

Processing Rules:

Field Type: Input

Previous References: Ofwat 07 WICS 06

P4.49	>100 <= 250 MI/a, LUVA rate	£/m³	2dp
--------------	--	------------------------	------------

Data Definition: Tariff for volume of potable water delivered, where volume >100 <= 250 per site, charged at LUVA rate. This should be the nominal charge taking account of any tariff or inflation change assumptions.

Processing Rules:

Field Type: Input

Previous References: Ofwat 07 WICS 06

P4.50	> 250 MI/a, LUVA rate	£/m³	2dp
--------------	---------------------------------	------------------------	------------

Data Definition: LUVA tariff for volume of potable water delivered, where volume < 250 MI/a per site. This should be the nominal charge taking account of any tariff or inflation change assumptions.

Processing Rules:

Field Type: Input

Previous References: Ofwat 07 WICS 06

P4.51	<= 100 MI/a, average non-standard rate	£/m³	2dp
--------------	--	------------------------	------------

Data Definition: LUVA tariff for volume of potable water delivered, where volume >100 MI/a per site, for meters of diameter > 20mm, charged at average non-standard rates. This should be the nominal charge taking account of any tariff or inflation change assumptions.

Processing Rules:

Field Type: Input

Previous References: Ofwat 07 WICS 06

P4.52	>100 <= 250 MI/a, average non-standard rate	£/m³	2dp
--------------	--	------------------------	------------

Data Definition: Average non-standard tariff for volume of potable water delivered, where volume > 100<=250 MI/a per meter.

Processing Rules:

Field Type: Input

Previous References: Ofwat 07 WICS 06

P4.53	> 250 MI/a, average non-standard rate	£/m³	2dp
--------------	---	------------------------	------------

Data Definition: LUVA tariff for volume of potable water delivered, where volume > 250 per meter.

Processing Rules:

Field Type: Input

Previous References: Ofwat 07 WICS 06

P4.54	Fixed charges	£	2dp
--------------	----------------------	----------	------------

Data Definition: Revenue from fixed charges for non-domestic properties charged on a measured basis.

Processing Rules: sum product of lines P4.1 to P4.14 and lines P4.30 to P4.43.

Field Type: Calculated Field

Previous References: Ofwat 07 WICS 06

P4.55	First 25m³ pa - meters of diameter <= 20mm	£	2dp
--------------	---	----------	------------

Data Definition: Revenue from volumetric charges for non-domestic properties for volumes up to 25m³ per annum for meters up to and including 20mm.

Processing Rules: P4.19 x P4.44

Field Type: Calculated Field

Previous References: Ofwat 07 WICS 06

P4.56	Volume over 25m³ pa, meters of diameter <= 20mm	£	2dp
--------------	--	----------	------------

Data Definition: Revenue from volumetric charges for non-domestic properties for volumes over 25m³ per annum for meters up to and including 20mm.

Processing Rules: P4.20 x P4.45

Field Type: Calculated Field

Previous References: Ofwat 07 WICS 06

P4.57	<= 100 MI/a, meters > 20mm, standard tariff (including LUVA)	£	2dp
--------------	---	----------	------------

Data Definition: Revenue from potable water delivered, where volume <= 100 MI/a per meter, charged at standard tariffs (including LUVA).

Processing Rules: P4.21 x P4.46

Field Type: Calculated Field

Previous References: Ofwat 07 WICS 06

P4.58	>100 <= 250 MI/a, standard tariff	£	2dp
--------------	--	----------	------------

Data Definition: Revenue from potable water delivered, where volume >100 <= 250 per meter, charged at standard tariffs.

Processing Rules: P4.22 x P4.47

Field Type: Calculated Field

Previous References: Ofwat 07 WICS 06

P4.59	> 250 MI/a, standard tariff	£	2dp
--------------	---------------------------------------	----------	------------

Data Definition: Revenue from potable water delivered, where volume > 250 MI/a per meter, for meters of diameter > 20mm, charged at standard tariffs.

Processing Rules: P4.23 x P4.48

Field Type: Calculated Field

Previous References: Ofwat 07 WICS 06

P4.60	>100 <= 250 MI/a, LUVA rate	£	2dp
--------------	--	----------	------------

Data Definition: Revenue from potable water delivered, where volume >100 <= 250 per meter, for meters of diameter > 20mm, charged at LUVA rate.

Processing Rules: P4.24 x P4.49

Field Type: Calculated Field

Previous References: Ofwat 07 WICS 06

P4.61	> 250 MI/a, LUVA rate	£	2dp
--------------	---------------------------------	----------	------------

Data Definition: Revenue from potable water delivered, where volume < 250 MI/a per meter, for meters of diameter > 20mm, charged at LUVA rate.

Processing Rules: P4.25 x P4.50

Field Type: Calculated Field

Previous References: Ofwat 07 WICS 06

P4.62	<= 100 MI/a, average non-standard rate	£	2dp
--------------	--	----------	------------

Data Definition: Revenue from potable water delivered, where volume >100 per meter, charged at non-standard rates.

Processing Rules: P4.26 x P4.51

Field Type: Calculated Field

Previous References: Ofwat 07 WICS 06

P4.63	>100 <= 250 MI/a, average non-standard rate	£	2dp
--------------	--	----------	------------

Data Definition: Revenue from potable water delivered, where volume > 100<=250 MI/a per meter charged at non-standard rates.

Processing Rules: P4.27 x P4.52

Field Type: Calculated Field

Previous References: Ofwat 07 WICS 06

P4.64	> 250 MI/a, average non-standard rate	£	2dp
--------------	---	----------	------------

Data Definition: Revenue from potable water delivered, where volume > 250 per meter, charged at average non-standard rates.

Processing Rules: P4.28 x P4.53

Field Type: Calculated Field

Previous References: Ofwat 07 WICS 06

P4.65	Total	£	2dp
--------------	--------------	----------	------------

Data Definition: Total revenue from non-household properties supplied on a measured basis.

Processing Rules: Sum of P4.54 to P4.64

Field Type: Calculated Field

Previous References: Ofwat 07 WICS 06