

**Section P Revenue and Tariffs**  
**Table 9 Water - wholesale - primary revenue: wholesale water charges (assessed) to licensed providers through charges scheme**

<b>P9.1</b>	<b>20mm</b>	<b>nr</b>	<b>0dp</b>
-------------	-------------	-----------	------------

**Data Definition:** Number of meters, at formerly unmeasured supply points, assessed (using RV-conversion formula) to be 20mm, as at September of the reporting year.

**Processing Rules:** Input

**Field Type:** Input

**Previous References:** Ofwat 07  WICS 06

<b>P9.2</b>	<b>25mm</b>	<b>nr</b>	<b>0dp</b>
-------------	-------------	-----------	------------

**Data Definition:** Number of meters, at formerly unmeasured supply points, assessed (using RV-conversion formula) to be 25mm, as at September of the reporting year.

**Processing Rules:** Input

**Field Type:** Input

**Previous References:** Ofwat 07  WICS 06

<b>P9.3</b>	<b>40mm</b>	<b>nr</b>	<b>0dp</b>
-------------	-------------	-----------	------------

**Data Definition:** Number of meters, at formerly unmeasured supply points, assessed (using RV-conversion formula) to be 40mm, as at September of the reporting year.

**Processing Rules:** Input

**Field Type:** Input

**Previous References:** Ofwat 07  WICS 06

<b>P9.4</b>	<b>50mm</b>	<b>nr</b>	<b>0dp</b>
-------------	-------------	-----------	------------

**Data Definition:** Number of meters, at formerly unmeasured supply points, assessed (using RV-conversion formula) to be 50mm, as at September of the reporting year.

**Processing Rules:** Input

**Field Type:** Input

**Previous References:** Ofwat 07  WICS 06

<b>P9.5</b>	<b>80mm</b>	<b>nr</b>	<b>0dp</b>
-------------	-------------	-----------	------------

**Data Definition:** Number of meters, at formerly unmeasured supply points, assessed (using RV-conversion formula) to be 80mm, as at September of the reporting year.

**Processing Rules:** Input

**Field Type:** Input

**Previous References:** Ofwat 07  WICS 06

<b>P9.6</b>	<b>Total</b>	<b>nr</b>	<b>0dp</b>
-------------	--------------	-----------	------------

**Data Definition:** Total number of assessed meters at formerly unmeasured supply points as at September of the report year

**Processing Rules:** Calculated field: the sum of lines 1 to 5.

**Field Type:** Calculated field

**Previous References:** Ofwat  07 WICS  06

<b>P9.7</b>	<b>20mm</b>	<b>m<sup>3</sup></b>	<b>0dp</b>
-------------	-------------	----------------------	------------

**Data Definition:** Assessed consumption (using RV-conversion formula) between 0 and (up to and including) 20m<sup>3</sup> during report year at formerly unmeasured supply points, assessed to have a 20mm meter.

This forms the assessed tranche of water allocated to assessed 20mm meters, which attracts no additional charge.

**Processing Rules:** Input

**Field Type:** Input

**Previous References:** Ofwat  07 WICS  06

<b>P9.8</b>	<b>25mm</b>	<b>m<sup>3</sup></b>	<b>0dp</b>
-------------	-------------	----------------------	------------

**Data Definition:** Assessed consumption (using RV-conversion formula) between 0 and (up to and including) 20m<sup>3</sup> during report year at formerly unmeasured supply points, assessed to have a 25mm meter.

This forms the assessed tranche of water allocated to assessed 25mm meters, which attracts no additional charge.

**Processing Rules:** Input

**Field Type:** Input

**Previous References:** Ofwat  07 WICS  06

<b>P9.9</b>	<b>40mm</b>	<b>m<sup>3</sup></b>	<b>0dp</b>
-------------	-------------	----------------------	------------

**Data Definition:** Assessed consumption (using RV-conversion formula) between 0 and (up to and including) 20m<sup>3</sup> during report year at formerly unmeasured supply points, assessed to have a 40mm meter.

This forms the assessed tranche of water allocated to assessed 40mm meters, which attracts no additional charge.

**Processing Rules:** Input

**Field Type:** Input

**Previous References:** Ofwat  07 WICS  06

<b>P9.10</b>	<b>50mm</b>	<b>m<sup>3</sup></b>	<b>0dp</b>
--------------	-------------	----------------------	------------

**Data Definition:** Assessed consumption (using RV-conversion formula) between 0 and (up to and including) 20m<sup>3</sup> during report year at formerly unmeasured supply points, assessed to have a 50mm meter.

This forms the assessed tranche of water allocated to assessed 50mm meters, which attracts no additional charge.

**Processing Rules:** Input

**Field Type:** Input

**Previous References:** Ofwat  07 WICS  06

<b>P9.11</b>	<b>80mm</b>	<b>m<sup>3</sup></b>	<b>0dp</b>
--------------	-------------	----------------------	------------

**Data Definition:** Assessed consumption (using RV-conversion formula) between 0 and (up to and including) 20m<sup>3</sup> during report year at formerly unmeasured supply points, assessed to have a 80mm meter.

This forms the assessed tranche of water allocated to assessed 80mm meters, which attracts no additional charge.

**Processing Rules:** Input

**Field Type:** Input

**Previous References:** Ofwat  07 WICS  06

<b>P9.12</b>	<b>Total</b>	<b>m<sup>3</sup></b>	<b>0dp</b>
--------------	--------------	----------------------	------------

**Data Definition:** Total assessed consumption (using RV-conversion formula) between 0 and (up to and including) 20m<sup>3</sup> at formerly unmeasured supply points for all meter sizes during report year.

This forms the assessed tranche of water allocated to all assessed meters, which attracts no additional charge.

**Processing Rules:** Calculated field: the sum of lines 7 to 11.

**Field Type:** Calculated field

**Previous References:** Ofwat  07 WICS  06

<b>P9.13</b>	<b>20mm</b>	<b>m<sup>3</sup></b>	<b>0dp</b>
--------------	-------------	----------------------	------------

**Data Definition:** Assessed consumption (using RV-conversion formula) between 20m<sup>3</sup> and (up to and including) 100m<sup>3</sup> during report year at formerly unmeasured supply points, assessed to have a 20mm meter.

This forms the assessed capacity volume at assessed 20mm meters, which attracts an additional premium charge due to phasing changes.

**Processing Rules:** Input

**Field Type:** Input

**Previous References:** Ofwat  07 WICS  06

<b>P9.14</b>	<b>25mm</b>	<b>m<sup>3</sup></b>	<b>0dp</b>
--------------	-------------	----------------------	------------

**Data Definition:** Assessed consumption (using RV-conversion formula) between 20m<sup>3</sup> and (up to and including) 500m<sup>3</sup> during report year at formerly unmeasured supply points, assessed to have a 25mm meter.  
This forms the assessed capacity volume at assessed 25mm meters, which attracts an additional charge.

**Processing Rules:** Input

**Field Type:** Input

**Previous References:** Ofwat  07 WICS  06

<b>P9.15</b>	<b>40mm</b>	<b>m<sup>3</sup></b>	<b>0dp</b>
--------------	-------------	----------------------	------------

**Data Definition:** Assessed consumption (using RV-conversion formula) between 20m<sup>3</sup> and (up to and including) 1,000m<sup>3</sup> during report year at formerly unmeasured supply points, assessed to have a 40mm meter.  
This forms the assessed capacity volume at assessed 40mm meters, which attracts an additional charge.

**Processing Rules:** Input

**Field Type:** Input

**Previous References:** Ofwat  07 WICS  06

<b>P9.16</b>	<b>50mm</b>	<b>m<sup>3</sup></b>	<b>0dp</b>
--------------	-------------	----------------------	------------

**Data Definition:** Assessed consumption (using RV-conversion formula) between 20m<sup>3</sup> and (up to and including) 2,500m<sup>3</sup> during report year at formerly unmeasured supply points, assessed to have a 50mm meter.

This forms the assessed capacity volume at assessed 50mm meters, which attracts an additional charge.

**Processing Rules:** Input

**Field Type:** Input

**Previous References:** Ofwat 07  WICS 06

<b>P9.17</b>	<b>80mm</b>	<b>m<sup>3</sup></b>	<b>0dp</b>
--------------	-------------	----------------------	------------

**Data Definition:** Assessed consumption (using RV-conversion formula) between 20m<sup>3</sup> and (up to and including) 7,500m<sup>3</sup> during report year at formerly unmeasured supply points, assessed to have a 80mm meter.

This forms the assessed capacity volume at assessed 80mm meters, which attracts an additional charge.

**Processing Rules:** Input

**Field Type:** Input

**Previous References:** Ofwat 07  WICS 06



<b>P9.18</b>	<b>Total</b>	<b>m<sup>3</sup></b>	<b>0dp</b>
--------------	--------------	----------------------	------------

**Data Definition:** Assessed consumption (using RV-conversion formula) between 20m<sup>3</sup> and (up to and including) the capacity volume threshold during report year at formerly unmeasured supply points, for each assessed meter size.

**Processing Rules:** Calculated field: the sum of lines 13 to 17.

**Field Type:** Calculated field

**Previous References:** Ofwat  07 WICS  06

<b>P9.19</b>	<b>20mm meters: volume between 20m<sup>3</sup> and up to and including 100m<sup>3</sup></b>	<b>m<sup>3</sup></b>	<b>0dp</b>
--------------	---	----------------------	------------

**Data Definition:** Assessed standard consumption (using RV-conversion formula) of between 20m<sup>3</sup> and (up to and including) 100m<sup>3</sup> for assessed 20mm meters.  
This forms the standard consumption through 20mm meters, which attracts an additional premium due to phasing changes.

**Processing Rules:** Input

**Field Type:** Input

**Previous References:** Ofwat  07 WICS  06

<b>P9.20</b>	<b>20mm meters: volume greater than 100m<sup>3</sup></b>	<b>m<sup>3</sup></b>	<b>0dp</b>
--------------	--	----------------------	------------

**Data Definition:** Assessed standard consumption (using RV-conversion formula) of greater than 100m<sup>3</sup> for assessed 20mm meters.

This forms the standard consumption through 20mm meters, which does not attract an additional premium due to phasing changes.

**Processing Rules:** Input

**Field Type:** Input

**Previous References:** Ofwat  07 WICS  06

<b>P9.21</b>	<b>&gt; 20mm meters: volume between 20m<sup>3</sup> and (up to and including) 250,000m<sup>3</sup></b>	<b>m<sup>3</sup></b>	<b>0dp</b>
--------------	--	----------------------	------------

**Data Definition:** Assessed standard consumption (using RV-conversion formula) of greater than 20m<sup>3</sup> and (up to and including) 250,000m<sup>3</sup> for all assessed meters of greater than 20mm.

This forms the standard consumption through meters greater than 20mm meters in the 20-250,000m<sup>3</sup> consumption band.

**Processing Rules:** Input

**Field Type:** Input

**Previous References:** Ofwat  07 WICS  06

<b>P9.22</b>	<b>&gt; 20mm meters: volume between 250,000m<sup>3</sup> and (up to and including) 1,000,000m<sup>3</sup></b>	<b>m<sup>3</sup></b>	<b>0dp</b>
--------------	---	----------------------	------------

**Data Definition:** Assessed standard consumption (using RV-conversion formula) of greater than 250,000m<sup>3</sup> and (up to and including) 1,000,000m<sup>3</sup> for all assessed meters of greater than 20mm.

This forms the standard consumption through meters greater than 20mm meters in the 250,000-1,000,000m<sup>3</sup> consumption band.

**Processing Rules:** Input

**Field Type:** Input

**Previous References:** Ofwat  07 WICS  06

<b>P9.23</b>	<b>&gt; 20mm meters: volume greater than 1,000,000m<sup>3</sup></b>	<b>m<sup>3</sup></b>	<b>0dp</b>
--------------	---	----------------------	------------

**Data Definition:** Assessed standard consumption (using RV-conversion formula) of greater than 1,000,000m<sup>3</sup> for all assessed meters of greater than 20mm.

This forms the standard consumption through meters greater than 20mm meters in the greater than 1,000,000m<sup>3</sup> consumption band.

**Processing Rules:** Input

**Field Type:** Input

**Previous References:** Ofwat  07 WICS  06

<b>P9.24</b>	<b>Total standard volumes</b>	<b>m<sup>3</sup></b>	<b>0dp</b>
--------------	-------------------------------	----------------------	------------

**Data Definition:** Total assessed standard consumption greater than 20m<sup>3</sup> for all meter sizes.

**Processing Rules:** Calculated field: the sum of lines 19 to 23.

**Field Type:** Calculated field

**Previous References:** Ofwat  07 WICS  06

<b>P9.25</b>	<b>20mm</b>	<b>nr</b>	<b>0dp</b>
--------------	-------------	-----------	------------

**Data Definition:** Number of 20mm meters, at formerly unmeasured supply points, as at September of the reporting year.

**Processing Rules:** Input

**Field Type:** Input

**Previous References:** Ofwat 07  WICS 06

<b>P9.26</b>	<b>25mm</b>	<b>nr</b>	<b>0dp</b>
--------------	-------------	-----------	------------

**Data Definition:** Number of 25mm meters, at formerly unmeasured supply points, as at September of the reporting year.

**Processing Rules:** Input

**Field Type:** Input

**Previous References:** Ofwat 07  WICS 06

<b>P9.27</b>	<b>40mm</b>	<b>nr</b>	<b>0dp</b>
--------------	-------------	-----------	------------

**Data Definition:** Number of 40mm meters, at formerly unmeasured supply points, as at September of the reporting year.

**Processing Rules:** Input

**Field Type:** Input

**Previous References:** Ofwat 07  WICS 06

<b>P9.28</b>	<b>50mm</b>	<b>nr</b>	<b>0dp</b>
--------------	-------------	-----------	------------

**Data Definition:** Number of 50mm meters, at formerly unmeasured supply points, as at September of the reporting year.

**Processing Rules:** Input

**Field Type:** Input

**Previous References:** Ofwat 07  WICS 06

<b>P9.29</b>	<b>80mm</b>	<b>nr</b>	<b>0dp</b>
--------------	-------------	-----------	------------

**Data Definition:** Number of 80mm meters, at formerly unmeasured supply points, as at September of the reporting year.

**Processing Rules:** Input

**Field Type:** Input

**Previous References:** Ofwat 07  WICS 06

<b>P9.30</b>	<b>Total</b>	<b>nr</b>	<b>0dp</b>
--------------	--------------	-----------	------------

**Data Definition:** Total number of meters at formerly unmeasured supply points as at September of the report year

**Processing Rules:** Calculated field: the sum of lines 25 to 29.

**Field Type:** Calculated field

**Previous References:** Ofwat 07  WICS 06

<b>P9.31</b>	<b>20mm</b>	<b>m<sup>3</sup></b>	<b>0dp</b>
--------------	-------------	----------------------	------------

**Data Definition:** Consumption between 0 and (up to and including) 20m<sup>3</sup> during report year at formerly unmeasured supply points, with a 20mm meter.

This forms the tranche of water allocated to 20mm meters, which attracts no additional charge.

**Processing Rules:** Input

**Field Type:** Input

**Previous References:** Ofwat  07 WICS  06

<b>P9.32</b>	<b>25mm</b>	<b>m<sup>3</sup></b>	<b>0dp</b>
--------------	-------------	----------------------	------------

**Data Definition:** Consumption between 0 and (up to and including) 20m<sup>3</sup> during report year at formerly unmeasured supply points, with a 25mm meter.

This forms the tranche of water allocated to 25mm meters, which attracts no additional charge.

**Processing Rules:** Input

**Field Type:** Input

**Previous References:** Ofwat  07 WICS  06

<b>P9.33</b>	<b>40mm</b>	<b>m<sup>3</sup></b>	<b>0dp</b>
--------------	-------------	----------------------	------------

**Data Definition:** Consumption between 0 and (up to and including) 20m<sup>3</sup> during report year at formerly unmeasured supply points, with a 40mm meter.

This forms the tranche of water allocated to 40mm meters, which attracts no additional charge.

**Processing Rules:** Input

**Field Type:** Input

**Previous References:** Ofwat  07 WICS  06

<b>P9.34</b>	<b>50mm</b>	<b>m<sup>3</sup></b>	<b>0dp</b>
--------------	-------------	----------------------	------------

**Data Definition:** Consumption between 0 and (up to and including) 20m<sup>3</sup> during report year at formerly unmeasured supply points, with a 50mm meter.

This forms the tranche of water allocated to 50mm meters, which attracts no additional charge.

**Processing Rules:** Input

**Field Type:** Input

**Previous References:** Ofwat  07 WICS  06

<b>P9.35</b>	<b>80mm</b>	<b>m<sup>3</sup></b>	<b>0dp</b>
--------------	-------------	----------------------	------------

**Data Definition:** Consumption between 0 and (up to and including) 20m<sup>3</sup> during report year at formerly unmeasured supply points, with a 80mm meter.

This forms the tranche of water allocated to 80mm meters, which attracts no additional charge.

**Processing Rules:** Input

**Field Type:** Input

**Previous References:** Ofwat  07 WICS  06

<b>P9.36</b>	<b>Total</b>	<b>m<sup>3</sup></b>	<b>0dp</b>
--------------	--------------	----------------------	------------

**Data Definition:** Consumption between 0 and (up to and including) 20m<sup>3</sup> during report year at formerly unmeasured supply points.

This forms the tranche of water allocated to all meters, which attracts no additional charge.

**Processing Rules:** Calculated field: the sum of lines 31 to 35.

**Field Type:** Calculated field

**Previous References:** Ofwat  07 WICS  06



<b>P9.37</b>	<b>20mm</b>	<b>m<sup>3</sup></b>	<b>0dp</b>
--------------	-------------	----------------------	------------

**Data Definition:** Consumption between 20m<sup>3</sup> and (up to and including) 100m<sup>3</sup> during report year at formerly unmeasured supply points, with a 20mm meter.

This forms the capacity volume through 20mm meters, which attracts an additional premium charge due to phasing changes.

**Processing Rules:** Input

**Field Type:** Input

**Previous References:** Ofwat  07 WICS  06

<b>P9.38</b>	<b>25mm</b>	<b>m<sup>3</sup></b>	<b>0dp</b>
--------------	-------------	----------------------	------------

**Data Definition:** Consumption between 20m<sup>3</sup> and (up to and including) 500m<sup>3</sup> during report year at formerly unmeasured supply points, with a 25mm meter.

This forms the capacity volume through 25mm meters, which attracts an additional charge.

**Processing Rules:** Input

**Field Type:** Input

**Previous References:** Ofwat  07 WICS  06

<b>P9.39</b>	<b>40mm</b>	<b>m<sup>3</sup></b>	<b>0dp</b>
--------------	-------------	----------------------	------------

**Data Definition:** Consumption between 20m<sup>3</sup> and (up to and including) 1,000m<sup>3</sup> during report year at formerly unmeasured supply points, with a 40mm meter.

This forms the capacity volume through 40mm meters, which attracts an additional charge.

**Processing Rules:** Input

**Field Type:** Input

**Previous References:** Ofwat  07 WICS  06

<b>P9.40</b>	<b>50mm</b>	<b>m<sup>3</sup></b>	<b>0dp</b>
--------------	-------------	----------------------	------------

**Data Definition:** Consumption between 20m<sup>3</sup> and (up to and including) 2,500m<sup>3</sup> during report year at formerly unmeasured supply points, with a 50mm meter.

This forms the capacity volume through 50mm meters, which attracts an additional charge.

**Processing Rules:** Input

**Field Type:** Input

**Previous References:** Ofwat  07 WICS  06

<b>P9.41</b>	<b>80mm</b>	<b>m<sup>3</sup></b>	<b>0dp</b>
--------------	-------------	----------------------	------------

**Data Definition:** Consumption between 20m<sup>3</sup> and (up to and including) 7,500m<sup>3</sup> during report year at formerly unmeasured supply points, with a 80mm meter.

This forms the capacity volume through 80mm meters, which attracts an additional charge.

**Processing Rules:** Input

**Field Type:** Input

**Previous References:** Ofwat  07 WICS  06

<b>P9.42</b>	<b>Total</b>	<b>m<sup>3</sup></b>	<b>0dp</b>
--------------	--------------	----------------------	------------

**Data Definition:** Consumption between 20m<sup>3</sup> and (up to and including) the capacity volume threshold during report year at formerly unmeasured supply points, for each meter size.

**Processing Rules:** Calculated field: the sum of lines 37 to 41.

**Field Type:** Calculated field

**Previous References:** Ofwat  07 WICS  06

<b>P9.43</b>	<b>20mm meters: volume between 20m<sup>3</sup> and up to and including 100m<sup>3</sup></b>	<b>m<sup>3</sup></b>	<b>0dp</b>
--------------	---	----------------------	------------

**Data Definition:** Standard consumption of between 20m<sup>3</sup> and (up to and including) 100m<sup>3</sup> for 20mm meters.

This forms the standard consumption through 20mm meters, which attracts an additional premium due to phasing changes.

**Processing Rules:** Input

**Field Type:** Input

**Previous References:** Ofwat  07 WICS  06

<b>P9.44</b>	<b>20mm meters: volume greater than 100m<sup>3</sup></b>	<b>m<sup>3</sup></b>	<b>0dp</b>
--------------	--	----------------------	------------

**Data Definition:** Standard consumption of greater than 100m<sup>3</sup> for 20mm meters.

This forms the standard consumption through 20mm meters, which does not attract an additional premium due to phasing changes.

**Processing Rules:** Input

**Field Type:** Input

**Previous References:** Ofwat  07 WICS  06

<b>P9.45</b>	<b>&gt; 20mm meters: volume between 20m<sup>3</sup> and (up to and including) 250,000m<sup>3</sup></b>	m <sup>3</sup>	0dp
--------------	--	----------------	-----

**Data Definition:** Standard consumption of greater than 20m<sup>3</sup> and (up to and including) 250,000m<sup>3</sup> for all meters of greater than 20mm.  
This forms the standard consumption through meters greater than 20mm meters in the 20-250,000m<sup>3</sup> consumption band.

**Processing Rules:** Input

**Field Type:** Input

**Previous References:** Ofwat  07 WICS  06

<b>P9.46</b>	<b>&gt; 20mm meters: volume between 250,000m<sup>3</sup> and (up to and including) 1,000,000m<sup>3</sup></b>	m <sup>3</sup>	0dp
--------------	---	----------------	-----

**Data Definition:** Standard consumption of greater than 250,000m<sup>3</sup> and (up to and including) 1,000,000m<sup>3</sup> for all meters of greater than 20mm.  
This forms the standard consumption through meters greater than 20mm meters in the 250,000-1,000,000m<sup>3</sup> consumption band.

**Processing Rules:** Input

**Field Type:** Input

**Previous References:** Ofwat  07 WICS  06

<b>P9.47</b>	<b>&gt; 20mm meters: volume greater than 1,000,000m<sup>3</sup></b>	<b>m<sup>3</sup></b>	<b>0dp</b>
--------------	---	----------------------	------------

**Data Definition:** Standard consumption of greater than 1,000,000m<sup>3</sup> for all meters of greater than 20mm.

This forms the standard consumption through meters greater than 20mm meters in the greater than 1,000,000m<sup>3</sup> consumption band.

**Processing Rules:** Input

**Field Type:** Input

**Previous References:** Ofwat 07  WICS 06

<b>P9.48</b>	<b>Total standard volumes</b>	<b>m<sup>3</sup></b>	<b>0dp</b>
--------------	-------------------------------	----------------------	------------

**Data Definition:** Total standard consumption greater than 20m<sup>3</sup> in the report year for all meter sizes.

**Processing Rules:** Calculated field: the sum of lines 43 to 48.

**Field Type:** Calculated field

**Previous References:** Ofwat 07  WICS 06

<b>P9.49</b>	<b>The number of exempt supply points</b>	<b>nr</b>	<b>0dp</b>
--------------	---	-----------	------------

**Data Definition:** The total number of premises attracting a negative wholesale charge due to their exempt status.

**Processing Rules:** Input

**Field Type:** Input

**Previous References:** Ofwat 07  WICS 06

P9.50	20mm	£	2dp
-------	------	---	-----

**Data Definition:** Meter based annual charge for 20mm meters in report year.

**Processing Rules:** Input

**Field Type:** Input

**Previous References:** Ofwat 07  WICS 06

P9.51	25mm	£	2dp
-------	------	---	-----

**Data Definition:** Meter based annual charge for 25mm meters in report year.

**Processing Rules:** Input

**Field Type:** Input

**Previous References:** Ofwat 07  WICS 06

P9.52	40mm	£	2dp
-------	------	---	-----

**Data Definition:** Meter based annual charge for 40mm meters in report year.

**Processing Rules:** Input

**Field Type:** Input

**Previous References:** Ofwat 07  WICS 06

<b>P9.53</b>	<b>50mm</b>	<b>£</b>	<b>2dp</b>
--------------	-------------	----------	------------

**Data Definition:** Meter based annual charge for 50mm meters in report year.

**Processing Rules:** Input

**Field Type:** Input

**Previous References:** Ofwat 07  WICS 06

<b>P9.54</b>	<b>80mm</b>	<b>£</b>	<b>2dp</b>
--------------	-------------	----------	------------

**Data Definition:** Meter based annual charge for 80mm meters in report year.

**Processing Rules:** Input

**Field Type:** Input

**Previous References:** Ofwat 07  WICS 06

<b>P9.55</b>	<b>20mm premium Capacity volume charge</b>	<b>£</b>	<b>6dp</b>
--------------	--	----------	------------

**Data Definition:** Capacity volume charge for 20mm meters for the report year.

The capacity volume charge for 20mm meters should include any premium associated with the phased changes of charges.

**Processing Rules:** Input

**Field Type:** Input

**Previous References:** Ofwat 07  WICS 06



<b>P9.56</b>	<b>Capacity Volume Charge</b>	£	6dp
--------------	-------------------------------	---	-----

**Data Definition:** Capacity volume charge for the report year.

This is the capacity volume charge for all meters other than 20mm meter and should not attract a premium or discount in the year due to phasing.

**Processing Rules:** Input

**Field Type:** Input

**Previous References:** Ofwat 07  WICS 06

<b>P9.57</b>	<b>20mm meters: volume between 20m<sup>3</sup> and up to and including 100m<sup>3</sup></b>	£	6dp
--------------	---	---	-----

**Data Definition:** Standard volume charge for consumption between 20m<sup>3</sup> and (up to and including) 100m<sup>3</sup> through 20mm meters for the report year.

The standard volume charge for 20mm meters should include any premium associated with the phased changes of charges for consumption between 20m<sup>3</sup> and (up to and including) 100m<sup>3</sup>.

**Processing Rules:** Input

**Field Type:** Input

**Previous References:** Ofwat 07  WICS 06

<b>P9.58</b>	<b>20mm meters: volume greater than 100m<sup>3</sup></b>	<b>£</b>	<b>6dp</b>
--------------	--	----------	------------

**Data Definition:** Standard volume charge for consumption of greater than 100m<sup>3</sup> through 20mm meters for the report year.

The standard volume charge for 20mm meters should not include any premium or discount associated with the phased changes of charges for consumption of greater than 100m<sup>3</sup>.

**Processing Rules:** Input

**Field Type:** Input

**Previous References:** Ofwat 07  WICS 06

<b>P9.59</b>	<b>&gt; 20mm meters: volume between 20m<sup>3</sup> and (up to and including) 250,000m<sup>3</sup></b>	<b>£</b>	<b>6dp</b>
--------------	--	----------	------------

**Data Definition:** Standard volume charge for meters greater than 20mm for consumption between 20m<sup>3</sup> and (up to and including) 250,000m<sup>3</sup> in the report year

**Processing Rules:** Input

**Field Type:** Input

**Previous References:** Ofwat 07  WICS 06

<b>P9.60</b>	<b>&gt; 20mm meters: volume between 250,000m<sup>3</sup> and (up to and including) 1,000,000m<sup>3</sup></b>	<b>£</b>	<b>6dp</b>
--------------	---	----------	------------

**Data Definition:** Standard volume charge for meters greater than 20mm for consumption between 250,000m<sup>3</sup> and (up to and including) 1,000,000m<sup>3</sup> in the report year

**Processing Rules:** Input

**Field Type:** Input

**Previous References:** Ofwat 07  WICS 06

<b>P9.61</b>	<b>&gt; 20mm meters: volume greater than 1,000,000m<sup>3</sup></b>	£	6dp
--------------	---	---	-----

**Data Definition:** Standard volume charge for meters greater than 20mm for consumption greater than 1,000,000m<sup>3</sup> in the report year

**Processing Rules:** Input

**Field Type:** Input

**Previous References:** Ofwat 07  WICS 06

<b>P9.62</b>	<b>The number of exempt supply points</b>	£	2dp
--------------	---	---	-----

**Data Definition:** The negative wholesale charge for supply points with exemption status.  
Enter as a negative value.

**Processing Rules:** Input

**Field Type:** Input

**Previous References:** Ofwat 07  WICS 06

<b>P9.63</b>	<b>Assessed meter based annual charges</b>	£	0dp
--------------	--	---	-----

**Data Definition:** Revenue from assessed meter based annual charges in the report year  
The revenue should be adjusted to take account of the phasing programme from assessed to actual measured charges.

**Processing Rules:** Calculated field: the sumproduct of lines 1 to 5 and lines 49 to 53, multiplied by the phasing percentage for the year.

**Field Type:** Calculated field

**Previous References:** Ofwat 07  WICS 06

<b>P9.64</b>	<b>Assessed capacity volume charges</b>	£	0dp
--------------	---	---	-----

**Data Definition:** Revenue from assessed meter capacity volume charges in the report year

The revenue should be adjusted to take account of the phasing programme from assessed to actual measured charges.

**Processing Rules:** Calculated field: the product of lines 13 and 54, plus the product of line 55 and the sum of lines 14 to 17, multiplied by the phasing percentage for the year.

**Field Type:** Calculated field

**Previous References:** Ofwat 07  WICS 06

<b>P9.65</b>	<b>Assessed standard volume charges</b>	£	0dp
--------------	---	---	-----

**Data Definition:** Revenue from assessed standard volume charges in the report year

The revenue should be adjusted to take account of the phasing programme from assessed to actual measured charges.

**Processing Rules:** Calculated field: the sumproduct of lines 19 to 23 and lines 56 to 60, multiplied by the phasing percentage for the year.

**Field Type:** Calculated field

**Previous References:** Ofwat 07  WICS 06

<b>P9.66</b>	<b>Actual meter based annual charges</b>	£	0dp
--------------	--	---	-----

**Data Definition:** Revenue from actual meter based annual charges in the report year

The revenue should be adjusted to take account of the phasing programme from assessed to actual measured charges.

**Processing Rules:** Calculated field: the sumproduct of lines 25 to 29 and lines 49 to 53, multiplied by the phasing percentage for the year.

**Field Type:** Calculated field

**Previous References:** Ofwat 07  WICS 06

<b>P9.67</b>	<b>Actual capacity volume charges</b>	£	0dp
--------------	---------------------------------------	---	-----

**Data Definition:** Revenue from actual meter capacity volume charges in the report year

The revenue should be adjusted to take account of the phasing programme from assessed to actual measured charges.

**Processing Rules:** Calculated field: the product of lines 37 and 54, plus the product of line 55 and the sum of lines 38 to 41, multiplied by the phasing percentage for the year.

**Field Type:** Calculated field

**Previous References:** Ofwat 07  WICS 06

<b>P9.68</b>	<b>Actual standard volume charges</b>	£	0dp
--------------	---------------------------------------	---	-----

**Data Definition:** Revenue from actual standard volume charges in the report year

The revenue should be adjusted to take account of the phasing programme from assessed to actual measured charges.

**Processing Rules:** Calculated field: the sumproduct of lines 43 to 47 and lines 56 to 60, multiplied by the phasing percentage for the year.

**Field Type:** Calculated field

**Previous References:** Ofwat 07  WICS 06

<b>P9.69</b>	<b>Negative revenue in respect of supply points with negative wholesale charges</b>	£	0dp
--------------	---	---	-----

**Data Definition:** Negative revenue in respect of supply points with negative wholesale charges

**Processing Rules:** Calculated field: the product of lines 49 and 62.

**Field Type:** Calculated field

**Previous References:** Ofwat 07  WICS 06

<b>P9.70</b>	<b>Total</b>	£	0dp
--------------	--------------	---	-----

**Data Definition:** Total water revenue from licensed providers generated from formerly unmeasured supply points

The revenue should be adjusted to take account of the phasing programme from assessed to actual measured charges.

**Processing Rules:** Calculated field: the sum of lines 61 to 66.

**Field Type:** Calculated field

**Previous References:** Ofwat 07  WICS 06