

Section P **Revenue and Tariffs Table** 29 Wastewater- wholesale - primary revenue: Trade effluent charges to licensed providers through Schedule 3 (former caps) P29.1 Number of discharge points with Schedule 3 0dp nr agreements due to former capping arrangements Number of discharge points charged for trade effluent with a Schedule 3 Data Definition: agreement, where this agreement relates to former harmonisation and treatment caps. **Processing** Input Rules: Field Type: Input Ofwat **WICS** P12.1 + P12.2 Previous References: 07 06 P29.2 Settled chemical oxygen demand (Os) mg/l 2dp Data Definition: Average sewage strength for chemical oxygen demand as used for trade effluent charging. **Processing** Brought forward from Section 8, Table 13, line 3. Rules: Field Type: bf **WICS** Ofwat Previous References: P11.11 06 07

	P29.3	Total suspended solids (Ss)			mg/l	2dp			
E	Data Definitio	n: Average strength for	suspended solid as used fo	r trade e	ffluent cha	rging.			
Processing Brought forward from Section 8, Table 13, line 2. Rules:									
Field Type: bf									
Previous References: Ofwat 07 WICS 06					P11.12				
	P29.4	Chargeable daily ve	olume		m³	0dp			
Data Definition: Volume of trade effluent associated with former caps Schedule 3 agreements liable for availability charge for R, V, B and S.									
Processing Input Rules:									
Field Type: Input									
Previous References: Ofwat 07 WICS 06				P12.5 + P12.8					
	P29.5	Settled biological o	exygen demand (sBOD	OI)	kg/day	3dp			
E	Data Definitio	3 agreements. Includ	Total settled BOD load of trade effluent chargeable on former caps Schedule 3 agreements. Include customers whose water supplies are from sources other than SW. Include large users.						
	Processing Rules:	Input							
F	ield Type:	Input							
Pr	evious Refe	rences: Ofwat	WICS 06	F	P12.6 + P1	2.9			

	P29.6	Suspend	ed soli	ds (TSSI)			kg/day	3dp	
Data Definition:		second	Average availability charge per kg of the SS of trade effluent receiving secondary treatment (or better). Include customers whose water supplies are from sources other than SW. Include large users.						
	Processing Rules:	Input							
F	ield Type:	Input							
rievious neielelices.			WICS 06	F	P12.6 + P1	nt receiving water supplies are 12.6 + P12.9 m³ Odp R and V at the re from sources 2.16 + P12.19 m³ Odp greements that is ive strength			
	P29.7	Actual vo	olume (discharged (A\	/D)		m³	0dp	
E	Oata Definitio	standar	rd rates.	effluent discharge Include customers Include large user	whose water s				
	Processing Rules:	Input							
F	ield Type:	Input							
Previous References: Ofwat 07				WICS 06	P	12.16 + P12.19			
	P29.8	Strength	adjust	ed volume for	settled COI	D	m³	0dp	
Data Definition:		receivir	Annual volume of trade effluent charged with Schedule 3 agreements that is receiving secondary treatment (or better) adjusted for relative strength compared to SW average (Ot/Os) (Sum of AVD x Ot/Os for all dischargers).						
	Processing Rules:	Input							
F	ield Type:	Input							
Previous References:			Ofwat 07		WICS 06	P.	12.17 + P1	2.20	

	P29.9	Strength adju solids	sted volume for	suspended		m³	0dp		
E	Data Definitio	(excluding for compared to	Annual volume of trade effluent charged using Schedule 3 agreements (excluding former caps) for sludge treatment adjusted for relative strength compared to SW average St/Ss. (Sum of AVD x St/Ss for all dischargers). Include customers whose water supplies						
	Processing Rules:	Input							
F	Field Type:	Input							
Previous References: Ofwat 07 WICS 06					P	P12.18 + P12.21			
	P29.10 Total revenue from Schedule 3 agreemen (trade effluent caps)				ts	£	0dp		
E	Data Definitio		Total revenue from Schedule 3 agreements for trade effluent resulting from former capping arrangements.						
Processing Rules:		Input							
F	Field Type:	Input							
Pr	evious Refe	ences.		Previous References: Ofwat WICS sum of P12.38 to					